

PeopleLink

HD Video Conferencing & Telepresence BE OMNIPRESENT



 PeopleLink TelePresence



PeopleLink Corporate Solutions Pvt.Ltd.

An ISO 9001 : 2008 Certified Company

☎ Phone No: +91 9949899903 / +91 9908088645 / +91 9248131902

✉ Email : vc@peoplelink.in | Website : www.peoplelink.in

Section①

About PeopleLink

Video Conferencing
Software & Solutions



PeopleLink Telepresence



PeopleLink Telepresence

Superior Telepresence System Tailored to your Needs
16 Full Screen Video On 16 Different Outputs.

PeopleLink Corporate Solutions Private Limited is an ISO 9001:2008 certified company and PVCS Telepresence & PRO HD are the Most Trusted Telepresence and HD Video Conferencing Brands globally. PeopleLink offers HD Video conferencing as a Cloud based service and on premise one time buy option or lease option. PeopleLink offers Video Conference technology solutions to Large Enterprises, Government, Corporate sector, Educational Institutes, SMEs and startup companies alike.

It was the revolutionary approach adopted by PeopleLink that helped to launch many path breaking Initiatives in the audio-video conferencing industry and many were one of the firsts for the Indian market. Within a span of a few years, PeopleLink has consistently explored various ways to bring premium value to the customers. PeopleLink always aims at setting benchmarks in quality of service and customer satisfaction.

Established in the year 2007, with Head Office in Hyderabad, PeopleLink today has more than 800 partners across India & MiddleEast, and direct sales and support offices in more than 20 cities across India, and still counting... PeopleLink's business model is well aligned with the customer's need, that is why the core businesses have grown more than 108% year on year and making PeopleLink as One-Of-Best audio & video conferencing solutions & service provider. This State of Art Video Conference Technology has already been implemented by more than 700+ customers in last 4 years.

OUR VISION

To be admired as an organization with integrity and honesty, ethical in its conduct, professional in its approach, complete dedication and providing cost effective, world-class solutions that satisfy the needs of our customers, surpassing their expectations, ensuring their interest and enhancing revenues at the same time.

OUR CORE VALUES :

Innovation:

Flexibility is the key to our offerings, and intrinsic to this flexibility, is the spirit of Innovation that we bring to our products and services - from the very stage of design to implementation and customer support.

Insight:

At PeopleLink, we always pride ourselves on the vision, skills, expertise and professionalism of our team. Our team members make use of their keen Insight to foresee industry trends and meet demanding customer needs. The working of their collective minds in a highly supportive environment ensures that our products and services retain a competitive edge at all times.

Integrity:

At PeopleLink, we look at the Core Value of Integrity as the very soul of our company. This is reflected in our finances, the trusted relationship that we share with our customers and business partners and the faith reposed in us by our customers.

OUR MISSION


To consistently create value for our customers, by providing the most technically advanced solutions which enable our customers to achieve excellence and sustainable competitive edge. PeopleLink focuses on being client-centric, technology-driven, people-focused, adaptive, innovative and creative, for attaining excellence and promoting profitability for our clients and ourselves by delivering the best services and solutions.

*HD Video Conferencing
Connect Travelling Users
Also On Low Bandwidth*





PeopleLink Market Position






Video Conference Architecture

PeopleLink

Video Conferencing Architecture





PeopleLink V/S Competition

Top 20 Reasons To Choose PeopleLink Over Any Other Video Conferencing Solution.

1. State of the Art Next Gen Compression Technology using H.264 VBR/CBR allowing you to do High Quality Video Conference even at Lower bandwidth ranging from 128 -256Kbps thus saving upto 80% Recurring cost on bandwidth.

4. All in One Solution with Inbuilt Multiparty Video Conference and Data sharing (Can share PowerPoint, Word, Excel, PDF etc, along with Movie Files and all types of Applications) including desktop sharing.

7. Video Conference on the Move: Doesn't require a Static IP /Public IP at each Location (Just need one STATIC IP at central server Location). So you can also do Video Conference using your High Speed Data Cards while on the move.

10. Standby MCU: PeopleLink allows users to install MCU software on 2 servers at a time and gives you an option to have a Redundant MCU Readily available without any Cost (In any other VC Solution, one needs to invest on a complete FULL MCU to get redundancy. If one MCU server fails, then the USB Security Key which has licenses or ports enabled can be attached to other standby server to make it ready within minutes).

13. Mobile Module: This module enables users to login into MCU from iPad/iPhone/Android Tabs and Phones using 3G internet and PeopleLink Mobile client software.

16. Optional VoIP/SIP Audio Lines allow users to call international Mobile and landline users, so that they can be part of a Multilocation Video Conference Meeting as a Audio Only user at very low cost. This can be enabled by taking VoIP service from any ISP.

19. Special low cost One Way Users, PeopleLink offers One Way Users licensing option. It helps few users to be the part of Live Multi location Video conference using PeopleLink Client software at low cost, but they will have no access to send data, video and voice. One more option enables to send at least Audio and access to few data tools like polling, chatting and Evaluation.

2. In Built MCU (Multiparty Conference Unit) allows you to expand number of Locations to be simultaneously connected to any number (from 2-20000 Locations) in multiples of 1. While as any other solution MCU can be upgraded in multiples of 5 or 10 only.

5. Fully interactive Digital White Board application with Wireless Digital PEN integration to conduct Live Training sessions at a very low bandwidth.

8. Each MCU license which you buy, you will get 100 Client Software Licenses FREE along with it (Eg: if you buy 5 MCU licenses, You can install 500 client Licenses in 500 locations and any 5 locations can do Video Conference at any given time).

11. HOT Standby Module: This optional Module enables users to install MCU Software in 2 servers and links them in Hot standby mode using Floating IP Configuration. So if one MCU server is down the other one automatically goes up within few seconds. This module is recommended for large conference environment.

14. Master Slave Architecture helps you to save bandwidth by cascading multiple mirror MCU's at different branch offices to manage Local Video Conference traffic at branch level, instead of coming to master MCU placed at Head Office and choking the bandwidth.

17. Optional SMS Module allows you to send SMS-invites to all registered participants with a click of button.

20. Inbuilt Video recording function allows users to record unlimited conferences, unlike other VC solutions who have separate High cost video recording Solutions with limited recording capability.

3. With Optional Composite TV Wall Module, the same solution gets upgraded to High End TelePresence version which allows you to see 16 Full Screen Videos of 16 Different Locations on 16 LFD/LCD's/Plasmas etc.

6. Inbuilt H.323 Gateway which **Connects to any Hardware based H.323** Video Conferencing Device.

9. Optional MCU Splitting & Combining module enables users to combine multiple MCU's together to form single Virtual MCU, enabling them to have single conference with number of users equivalent to the total number of users put together in all MCU's.

12. Inbuilt SIP gateway to connect to SIP Based Audio and Video Conference devices

15. Optional PSTN Gateway allows you to make Mobile and landline users to be the part of a Multilocation Video Conference Meeting as a Audio Only user. This Module is available only for customers outside India.

18. GIPS Audio codec which is state of the Art of Audio codec and offers users to choose between High Definition Audio for high quality audio where bandwidth is available and GIPS Low fidelity which can offer a good quality audio even at 6.4Kbps bandwidth.



PeopleLink Video Conferencing Solutions



PVCS Pro HD : Peoplelink PRO HD is an ideal HD ready multipoint to multipoint video conferencing technology platform. Peoplelink uses proprietary state of Art H.264VBR/CBR video CODEC which offers unparalleled best video quality at the lowest bandwidth and poor network conditions like (High packet loss, latency and jitter). The solution is best suited for Business Conference rooms and desktop video conferencing alike, using widely available and cost-effective HD computer peripherals. PeopleLink PRO HD is a Fully Software based MCU, with a capability to connect seamlessly with traditional Hardware Video Conference devices using inbuilt H.323 Gateways and SIP Gateway. Up to 48 Videos can be viewed in a single screen in continuous presence mode. The solution has Video Recording server and Advanced Data collaborations features like Application sharing, Desktop Sharing, CO-Browsing, Document sharing, Digital Whiteboard, Multipoint and private chat, Conference Grouping , Polling, Referendum and Video Rotation features all inbuilt. The Client software allows users to connect HD PTZ Cameras and HD audio conference devices without charging for extra modules and hence create a Conference Room setup at a very low cost. It also allows remote users to pan, tilt and zoom the cameras of other locations from the client software. Peoplelink client software has inbuilt dual display capability enabling users in conference rooms to connect 2 displays, one for videos and one for presentation. The solution is not only ideal for windows based platform but also has client software available for Android based Phones, Tabs and even iPhone/ iPad. Users can download free Peoplelink Video conference client software from apple store to connect into a video conference server. The solution offers unlimited client software end point installations without binding to the MAC ID of the system, thus enabling full use of video conference in an organization at all levels. The licensing policy on the MCU is flexible and is based on concurrent logins. The Client has the capability to encode HD Video 720P@30fps and decode up to 1440p@30fps. The solution also offers integration with IP surveillance cameras and SMS gateway. Peoplelink video conference platform uses the most advanced security algorithms, the software installation files are digitally signed and verified by VeriSign. The communication between server and client is fully encrypted, ensuring sensitive information to be safely transmitted across the network. The Advanced security system is highly intelligent so based on information and data flow, the system utilises encryption algorithms like Diffie-Hellman Algorithm (RSA1024 Characters), DES Algorithm (RC4124bit) Message-Digest Algorithm(MD5 128bit) . The Architecture is based on a Master / slave configuration which allows large scale deployment of practically unlimited no of concurrent video conference users. Depending on no of concurrent users needed, unlimited no of slave servers can be cascaded for Load balancing & bandwidth management. It also offers Optional Upgrade of TelePresence module which allows users to connect up to 16 Displays.



PVCS Pro : It offers all the features of Pro HD except the Client has the capability to encode Video upto 480P@30fps and decode up to 1080p@ 30fps.



PVCS TelePresence : It offers all the standard features of PRO HD and the client has the encode capability up to 1080P@30fps and decode capability up to 2160P@30fps and comes with an inbuilt Multiple Display module enabling it to connect up to 16 displays.



PVCS Insta VC : It delivers fully ubiquitous, business video conferencing software service experience across multiple firewalls without requiring a VPN connection. Most importantly there is no requirement of client download, just simply Login and within seconds and you are in Video Conference meeting. PVCS Insta VC is the true Cross Platform Multi location Video Conferencing software with web conferencing and Data Collaboration features. It makes use of standard H.264 Video CODEC and supports video encode of up to 480p@30fps and decode of up to 1080p@30fps. Offers basic data collaboration features of document sharing and whiteboard. It also has polling and text chat application inbuilt and client can view up to 24 Videos in continuous presence. It also offers video rotation feature.



PVCS Flex I : Flex I is a flexible platform, based on PVCS Pro HD and is the Best choice for users who need primarily High Quality Video Conferencing at an aggressive price point. This platform offers users to choose the features and options which are available as pre built features in Pro HD. The Client has the capability to encode video up to 480p@30fps and decode option 1080p@30fps. The solution also has inbuilt Data sharing, desktop sharing and white board and offers continuous presence of up to 12 videos. Rest all features which are offered as standard features in PRO HD can be upgraded based on the requirement.



PeopleLink Instant Messenger (P2P) : P2P Corporate Messenger has a user-friendly and easy-to use GUI. It works together with the conferencing system to allow instant audiovisual and text chatting, file transfer, direct conference access, to name a few. The Solution allows high quality Video conference at very low bandwidth using H.264VBR/CBR and enables large corporations to deploy a secure Instant Video communication platform at very low cost within their own network instead of using free Video chatting tools which don't offer QOS and are not secure for business communication.



PeopleLink Product Comparison

FEATURES	Insta VC	PVCS PRO	PVCS HD	TelePresence	Flex i
Concurrent Users	1000	20000+	20000+	20000+	20000+
Supports Windows, Mac and Linux	Yes	Yes, as H.323 user	Yes, as H.323 user	Yes, as H.323 user	Yes, as H.323 user
Client Software and IE 6.0 and above	No Client Required	IE6 and above	IE6 and above	IE6 and above	IE6 and above
Video Resolution Support	480P Encode, 1080P decode	480P Encode, 1080P decode	720P Encode 1440P decode	1080P Encode 2160P decode	480P Encode 1080P decode
Full HD Video Module	No	Optional	Optional	Yes	Optional
Video Rotation	Yes	Yes	Yes	Yes	Optional
Snap Shot Function	No	Yes	Yes	Yes	Yes
Supports 24 Videos & 12 Audio channels	Yes	Yes	Yes	Yes	12 videos
Upgradable in multiples of 1 License	Yes	Yes	Yes	Yes	Yes
One way users	No	Yes	Yes	Yes	Yes
Attendance Measurement	No	Yes	Yes	Yes	Optional
Evaluation feature	No	Yes	Yes	Yes	Optional
Co-Browsing	No	Yes	Yes	Yes	Optional
Banner Title	No	No	Yes	Yes	Yes
Application Sharing	No	Yes	Yes	Yes	Optional
Document Sharing	Yes	Yes	Yes	Yes	Yes
Multimedia File Sharing	No	No	Yes	Yes	Yes
Conference grouping	No	Yes	Yes	Yes	Optional
Desktop Sharing	No	Yes	Yes	Yes	Yes
Encrypted Video Meetings	Yes	Yes	Yes	Yes	Yes
Lock a VC room	No	Yes	Yes	Yes	Yes
File Transfer	Yes	Yes	Yes	Yes	Yes
Digital White Board	Yes	Yes	Yes	Yes	Yes
Polling	Yes	Yes	Yes	Yes	Yes
Text Chat	Yes	Yes	Yes	Yes	Yes
Unlimited Virtual Conference Rooms	Yes	No	Yes	Yes	Yes
H.264 VBR/CBR Video Codec	H.264 Std	Yes	Yes	Yes	Yes
GIPS Audio Codec	Yes	Yes	Yes	Yes	Yes
Dual Display	No	Yes	Yes	Yes	Yes
Remote Control Of PTZ Camera	No	Yes	Yes	Yes	Yes
Video Recording	No	Yes	Yes	Yes	Optional
H.323 Gateway	No	Yes	Yes	Yes	Optional
SIP Gateway	No	Yes	Yes	Yes	Optional
VOIP Module	No	Yes	Yes	Yes	Optional
Mobile Module	No	Yes	Yes	Yes	Optional
IP Surveillance	No	Yes	Yes	Yes	Optional
Standby Installation	Yes	Yes	Yes	Yes	Yes
Hot Standby Module	No	Optional	Optional	Optional	Optional
SMS Module	No	Optional	Optional	Optional	Optional
Multiple Display Module	No	No	Optional	Optional	Optional
Slave Server Module	Yes	Optional	Optional	Optional	Optional
MCU Combining & Splitting Modules	No	Optional	Optional	Optional	Optional



PeopleLink Video Conferencing Solutions

Traditional Video Conference Equipments Unused Ornaments of the Conference Room?



It is an established fact that most of the Organizations which implemented hardware based Video Conference in last one decade have their Video Conferencing End Points in their Conference room. Hardware video conferencing is being more of a décor item than something which they do meetings on daily or regular basis as the bandwidth in the existing networks always was insufficient.

Previously organizations faced issue due to high ISDN costs per call for the VC Meeting.

Later when IP based Video Conferencing became popular, organizations required dedicated lease line connectivity for doing VC Meetings. Most of the Organizations again couldn't afford, to have dedicated lease line only for Video Conference as the recurring costs were high. There was no technology available to make the Video Conference run smoothly using the corporate shared Network.

Complexity to use and Technical issues like Audio drops, video blurring and Pixilation, and Video disconnection issues further dampened the ability to conduct smooth video conference meetings.


All of this changed with the revolutionary technology introduced by PeopleLink.

PeopleLink's Great value Proposition For Existing Hardware based VC Setups

PeopleLink offers a great value proposition for your existing hardware based Video Conference setups. PeopleLink has inbuilt H.323 gateway which enables users to connect to their existing Video Conference endpoints and MCU's by simply dialing their IP address and bringing them into the same conference.

Apart from this, PeopleLink also offers you another alternate way to use your existing Video Conference End Points. Any Standard Definition or High Definition End Point's Camera output can be taken and given as an input into PeopleLink USB/HDMI Capture card and then the same camera will be utilized in PeopleLink Video Conference. There is a double advantage using this solution.

- Since only Hardware end points PTZ Camera is being used and state of the Art compression Codec of PeopleLink gets utilized so the bandwidth requirement becomes 1/3rd and quality improves substantially.
- Since all platforms are on PeopleLink which means all advanced features offered by PeopleLink can be utilized by the user which would not have been possible if hardware end point was dialed as H.323.



Section②

PeopleLink

HD Audio Video Peripherals



PeopleLink HD Audio Video Peripherals for Video Conferencing

PeopleLink iCam HD-1000W



Image Sensor : 1/2.8" Exmor CMOS 3.0 Mega Pixel
Zoom : 3x Varifocal
Pan Rotation Angle : 0~355 degree
Tilt Rotation Angle : ±30 degree
Preset : 64
Video Output : HDMI
Ideal for 8-15 Participants depending on the Room size

PeopleLink iCam HD-1000



Image Sensor : 1/2.5" CMOS 2.0 Mega Pixel
Zoom : 10x Optical Zoom
Pan Rotation Angle : 0~355 degree
Tilt Rotation Angle : ±30 degree
Preset : 64
Video Output : DVI
Ideal for 15-25 Participants depending on the Room Size

PeopleLink iCam HD-1000N



720P Resolution
Zoom : 3x Optical Zoom
Pan Rotation Angle : 0~360 degree
Tilt Rotation Angle : ±180 degree
Preset : 64
Video Output : USB
Ideal for 8-15 Participants depending on the Room size

PeopleLink iCam-250



Image Sensor : 1/4" CCD
Horizontal Resolution : 480 TVL
Zoom : 10x Optical & 10x Digital Zoom
Pan Rotation Angle : 360 degrees
Tilt Rotation Angle : 180 degrees
Preset : 64
Video Output : USB, S-Video
Ideal for 15-25 participants depending on the Room size

PeopleLink iCam-501



Image Sensor : 1/4" CCD
Horizontal Resolutions : 500-570 TVL
Zoom : 10x Optical X 10x Digital Zoom
Pan Rotation Angle : 360 degrees
Tilt Rotation Angle : 180 degrees
Preset : 64
Video Output : RCA, S-Video
Ideal for 15-25 participants depending on the Room size

PeopleLink iCam-650



Image Sensor : 1/4" CCD
Horizontal Resolutions : 650 TVL
Zoom : 10x Optical
Pan Rotation Angle : 360 degrees
Tilt Rotation Angle : 30 degree
Preset : 64
Video Output : USB, S-Video
Ideal for 15-25 participants depending on the Room size

PeopleLink i5



Sensor : True color HD Sensor
Supports 720p@30fps upto 1080p
Supports wide screen 16:9 display
Ideal for 4-6 participants

PeopleLink Capture Card



- Single channel USB Capture Card
- No external power is required
- Ulead video studio 8.0 SE
- Popular High-quality video and audio through USB 2.0
- Support Microsoft Windows XP and above.

Can connect to any Software Based Video Conference like PeopleLink or Video Chat Applications like SKYPE and Web Conference applications like WebEx , etc. through the USB port of the PC.



PeopleLink HD Audio Video Peripherals for Video Conferencing

ClearOne Chat50



Chat 50 uses the advance ClearOne audio processing technology which delivers remarkable rich full audio for business class performance, True full duplex performance allows user to listen and speak at the same time without audio cutting in and out **ideal for 1-3 participants.**

Yamaha PJP 20UR



PJP-20UR comes with 3 unidirectional microphones with excellent audio pickup up-to 10ft and the inbuilt speaker with Adaptive echo canceller which delivers Full Duplex HD clarity audio with mic zone control and Noise reduction feature. PJP-20UR can be cascaded upto 4 units through the USB powered Hub. **Each unit of PJP 20 UR is ideal for 8-10 participants and 4 units can be cascaded together to make it an ideal conferencing system for up to 40 participants.**

Yamaha PJP 50USB



PJP-50USB comes with 8 Unidirectional microphones with the audio pickup capability up to 15ft with auto tracking function and inbuilt 4 speakers with Adaptive echo canceller delivering HD audio clarity with mic zone control, microphone array control and Noise reduction feature. It also offers connectivity with external Amplified speakers for louder audio output. PJP-50USB which can be cascaded up to 4 units. **Each unit of PJP 50USB is ideal for 15-25 participants and 2 units can cater up to 40-50 participants.**

Yamaha PJP EC200



Yamaha EC200 is a 2 channel External Echo Canceller device which supports various applications and environments for remote conferencing and remote lectures. The device also has a 2 channel Mixing function through which any microphones may be connected. The advance feedback suppressor supports the PA functionality for two remote lectures and seminars with inbuilt two way noise canceller. **Ideal for large auditorium with preinstalled PA systems.**

ClearOne - INTERACT AT



Use Collaboration capabilities in the group room.
Video conferencing.
Web conferencing.
Audio Conferencing.
Boardroom.
Training Center.
Executive Office.

Ideal for 18-20 participants in a Board Room.

PeopleLink iProAmp -1001H1C



Output power: 40 w (RMS THD = 10%).
One wireless hand microphone.
And one collar Microphone.
One remote control.
Battery specification: 12Volts, 12 AH.
Two batteries.
Ideal for 40-60 participants in a Class Room.

PeopleLink iProAmp -1002HM



Output power: 50 w (RMS THD = 10%).
Two wireless microphones.
One remote control.
Battery Specification: 12 Volts 12 AH.
Two batteries.
Ideal for 60-80 participants in a Class Room.

PeopleLink Multimedia Solutions



PeopleLink Ultra Small – HDX1000
Mini LED Projector

Entertainment: Family Enjoying Watching Sports!



Entertainment: Family Enjoying Watching Movie!



Features

- Optical Engine : LCoS
- Reverse Image : Support Flip Vertical, Flip Horizontal
- LCD Panel Size : 0.47"
- Light Source : R.G.B. color LED Lamp
- Lamp Life cycle : 30,000 hrs.
- Image aspect ratio : 16 : 9 / 4 : 3 / zoom
- Intensity : 180 ANSI lumens
- Projection Resolution : 1024 x768 pixels
- Color temperature : 8,300K
- Contrast Ratio (FIFO) : 800 : 1
- I/O interfaces : VGA, SD/MMC cards slot, A/V IN, USB-A port, 3.5 earphone jack, Audio-Out. HDMI
- Stereo speaker : Built-in.
- Audio Formats : MP3 / WAV / WMA / APE / FLA / AAC / ACC+, PEG1/2/2.5
- Video Formats : AVI / MPEG1 / 2 / 4 / 3G / WMV9 / VC1 / ASF / RM / RMVB / FLV
- Photo Formats : JPG / BMP / GIF



World's Smallest and Brightest LCoS Technology HD ready projector with unique Auto Keystone correction and Rotation function. Weight 450Gms.

PeopleLink Smart Classroom Solutions

PeopleLink iPen

Wireless I.W.B - Make any surface interactive



Easy of operation, operate from 30ft distance wireless sitting comfortable on a chair.

Fixed Low cost no matter how large the white board needs to be.

No need of complex installation, totally mobile can be carried anywhere.

No shadows due to projector like in Traditional White Boards.

Very Low Maintenance Cost, compared to Traditional White Boards.



PeopleLink iKey

2.4G Ultra Mini Wireless Keyboard with Touchpad and Laser Pointer inbuilt



- A very small QWERTY keyboard
- Features backlights allowing it to be used in darkened conditions. Is wireless and works on a 2.4GHz radio frequency that connects up to a provided receiver.
- The range of the keyboard is 30 meters.
- Has a mini touch pad allowing you to take control of the mouse pointer. The pad works both vertically and horizontally.
- The QWERTY keyboard isn't full, but it has 69 keys in total providing plenty of function keys and other various keys you might need.
- The battery is built-in and can keep the key board powered for about 1 months usage.
- A laser pointer so you can use the Rii for skipping through slides and pointing on slides when needed.

Surveillance Cameras

(Wireless IP Surveillance Camera - outdoor) IPWL - o1



Features:

MJPEG Codec-CMOS 300,000 Pixel
10~30m IR Distance
3.6/6/8mm lens
VGA Resolution
WIFI, 802.11 b/g
5 Viewers Simultaneously

(Wireless IP Surveillance Camera - indoor) IPWL - i1





Hd Video Conference and Telepresence made affordable with quick ROI.

Few Of Our Esteem Clients Include...

Volks Wagen	IIT Khargpur	IRCON International	National Buildings Construction Corporation Ltd.
Jasper Industries Pvt Ltd	IIT Kanpur	RVNL-Rail Nilayam	Synovate
Sundaram Motors	IIT Gawhati	RITES	DRDL
Suhail Bahwan Automobiles LLC	IIT Bhubneshwar	Ikya Human Capital Solutions Pvt Ltd	Titan/Tanishq
Times of India	IIT,n Pace	ONGC	Apollo Hospitals
Business Standard	ICFAI University	WABAG	Continental Hospitals
Anand Bazaar Patrika	GBTU University	JOHN Energy	ICT Health Care
Deccan Herald	JKLU University	KSK Mahanadi Power Company Limited	Jaweed Habib Hair Express
The Hindu	Kannur University	APITCO	St. Jude Medical India Pvt Ltd
BBC London	Gorakhpur University	CDAC	Sagar Hospitals
Cinemax	Ahmedabad University	APSRCT	Lotus Hospital
Tata Projects	Kurukhetra University	IRCON International	Narayana Hrudayalaya Hospitals
BEVCON	IBS	RITES	Thyrocare
Gannon Dunkerley & Co Ltd	IIPM	Departments of Posts India	Widex India Pvt Ltd
Hitachi Plant Technologies Ltd	Gate Forum	NISG - National Institute of Smart Government	Life Line Institute of First Aid And Emergency Medicine
Larsen & Toubro (L&T) Delhi	Carrier launcher	UP Police Intelligence	Bambino Industries
Magna Steyr India Pvt Ltd	MT Educare	West Bengal Police Department	Agri gold
Vijay Textiles	GATI Logistics and Cargo	RAMKY	INBISCO India Pvt Ltd
Aashirwad Srees	First Flight	Vishwa Infra	Sopariwala Exports Pvt Ltd
Suryalakshmi Cotton Mills	Sanjay Gandhi Institute of Medical Sciences	Emami	MTR Foods
Arvind Ltd	Deens NRI Hospitals	Dilasa Janvikas Pratishthan	Prakesh Snacks
Evolv Clothing Company Pvt Ltd	Indo American Cancer Institute	JMC PROJECTS INDIA LIMITED	Vijayanagar Sugar Private Limited
Reid and Taylor	E Health Point	Sequoia Capitol SAPPHIRE HUMAN SOLUTIONS PVT LTD	Eminent Software Solutions Pvt Ltd
Aambey Valley Limited	Dr Shroff's Charity Eye Hospital	Thomas Assessment Systems (I) Pvt Ltd	Persistent Systems Limited
Tuli Hotels Pvt Ltd	Adecco International	Dedicated Freight Corridor Corporation - of India (DFCC)	Ramaji group- Dolphin Group of Hotels
Nagarjuna Fertilizers	Cyber Link		
	CEXO		



You can write to us for corporate enquiries at
vc@peoplelink.in

Phone No : +91-9949899903 / 9908088645
+91-9248131902



PeopleLink Presence

*HYDERABAD - DELHI - BANGALORE - CHENNAI - MUMBAI - PUNE - KOLKATA - AHMEDABAD - INDORE- LUDHIANA- JAMMU - SRINAGAR - BHUBNESHWAR - LUCKNOW - BHOPAL - JAIPUR - NAGPUR - COIMBATORE - CHANDIGARH - UAE - USA - CANADA - MIDDLE EAST - NIGERIA - SOUTH AFRICA - IRAN - WEST INDIES & Many more...

HEAD QUARTERS :

Q3, A3, 10th Floor, Cyber Towers,
Hi-Tech City, Madhapur,
Hyderabad – 500018 - INDIA

SUPPORT :

Email : support@peoplelink.in
Phone : +91- 04-44751116/17

SALES :

Email : sales@peoplelink.in
Phone +91-40-44751111 to 32



HD Video Conferencing & Telepresence
www.peoplelink.in